



Food and Drug Administration
2098 Gaither Road
Rockville MD 20850

APR 4 - 2007

INOVA Diagnostics, Inc.
c/o Mr. Brys C. Myers
Manager, Regulatory Affairs
9900 Old Grove Rd
San Diego, CA 92131-1638

Re: k063565

Trade/Device Name: QUANTA Lite™ SS-A 52 ELISA
Regulation Number: 21 CFR 866.5100
Regulation Name: Antinuclear antibody immunological test system
Regulatory Class: Class II
Product Code: OBE
Dated: February 15, 2007
Received: February 20, 2007

Dear Mr. Myers:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to such additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the Federal Register.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); good manufacturing practice requirements as set forth in the quality systems (QS) regulation (21 CFR Part 820). This letter will allow you to begin marketing your device as described in your Section 510(k) premarket notification. The

Page 2 –

FDA finding of substantial equivalence of your device to a legally marketed predicate device results in a classification for your device and thus, permits your device to proceed to the market.

If you desire specific information about the application of labeling requirements to your device, or questions on the promotion and advertising of your device, please contact the Office of In Vitro Diagnostic Device Evaluation and Safety at (240) 276-0450. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21 CFR Part 807.97). You may obtain other general information on your responsibilities under the Act from the Division of Small Manufacturers, International and Consumer Assistance at its toll-free number (800) 638-2041 or (240) 276-3150 or at its Internet address <http://www.fda.gov/cdrh/industry/support/index.html>.

Sincerely yours,

*Maana Chan for
Dr Robert Becker*

Robert L. Becker, Jr., M.D., Ph.D.

Director

Division of Immunology and Hematology Devices

Office of In Vitro Diagnostic Device Evaluation and Safety

Center for Devices and Radiological Health

Enclosure

510(k) Number (if known): K063565

Device Name: QUANTA Lite™ SS-A 52 ELISA

Indications For Use:

The QUANTA Lite™ SS-A 52 ELISA is a semiquantitative enzyme-linked immunosorbent assay for the detection of IgG anti-SS-A 52 antibodies in patient sera. The presence of these antibodies, when considered in conjunction with other laboratory and clinical findings, is an aid in the diagnosis of systemic lupus erythematosus, Sjögren's syndrome, systemic sclerosis, polymyositis and dermatomyositis.

(PLEASE DO NOT WRITE BELOW THIS LINE-CONTINUE ON ANOTHER PAGE IF NEEDED)

Concurrence of CDRH, Office of Device Evaluation (ODE)

Prescription Use X **OR**
(Per 21 CFR 801.109) Maria M. Chan
Medical Director

Over-The-Counter Use _____

(Optional Format 1-2-96)

Office of In Vitro Diagnostic Device
Evaluation and Safety 7

510(k) K063565